

# LIME-BASED PRODUCTS



## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

Trade name	Color
Marmorino Classico	white
Marmorino Carrara	white
Vesuvio	white
Rialto lime paint	white

### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Decorative coatings. For professional user only.

Uses advised against: All uses not specified in this section or in section 7.3

### 1.3 Details of the supplier of the safety data sheet:

#### Atova International

2452N N Harlem Ave

Elmwood Park, IL 60707

Phone.: 866-452-9982 - Fax: 708-452-8331

info@paintandplasters.com

<https://www.paintandplasters.com>

Emergency telephone number: 866-452-9982

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Dam. 1: Serious eye damage, Category 1, H318

Skin Irrit. 2: Skin irritation, Category 2, H315

STOT SE 3: Respiratory tract toxicity, single exposure, Category 3, H335

### 2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



### Hazard statements:

Eye Dam. 1: H318 - Causes serious eye damage

Skin Irrit. 2: H315 - Causes skin irritation

STOT SE 3: H335 - May cause respiratory irritation

### Precautionary statements:

P271: Use only outdoors or in a well-ventilated area

P280: Wear protective gloves/protective clothing/eye protection/face protection

P302+P352: IF ON SKIN: Wash with plenty of water

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

The information contained in this document, not being able to take into account the specific circumstances of each application, are purely indicative.

1 of

11

ATOVA INTERNATIONAL 2452 N Harlem Ave, Elmwood Park, IL 60707 Phone: 866-452-9982 - <a href="http://www.paintandplasters.com">www.paintandplasters.com</a>	Document No.	SS0001ENG	Date of issue:	24.10.2005
	Revision No.	21	Date of revision:	24.01.2019

# LIME-BASED PRODUCTS



P310: Immediately call a poison centre/doctor

P403+P233: Store in a well-ventilated place. Keep container tightly closed

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively

Substances that contribute to the classification

Calcium dihydroxide; Sodium hydroxide

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of hydraulic binders, lime, aggregates and additives

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 1305-62-0 EC: 215-137-3 Index: Non-applicable REACH: 01-2119475151-45-XXXX	Calcium dihydroxide <sup>(1)</sup> Regulation 1272/2008	Self-classified 25 - <50 %
	Eye Dam. 1: H318; Skin Irrit. 2: H315; STOT SE 3: H335 – Danger	

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 8, 11, 12, 15 and 16.

## 4. FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed: Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed: Non-applicable.

The information contained in this document, not being able to take into account the specific circumstances of each application, are purely indicative.

2 of

11

ATOVA INTERNATIONAL 2452 N Harlem Ave, Elmwood Park, IL 60707 Phone: 866-452-9982 - www.paintandplasters.com	Document No.	SS0001ENG	Date of issue:	24.10.2005
	Revision No.	21	Date of revision:	24.01.2019

# LIME-BASED PRODUCTS



## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use tap water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC. Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

### 6.4 Reference to other sections:

See sections 8 and 13.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

#### A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

#### B.- Technical recommendations for the prevention of fires and explosions

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

#### C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

#### D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

#### A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 6 Months

#### B.- General conditions for storage

The information contained in this document, not being able to take into account the specific circumstances of each application, are purely indicative.

3 of

11

ATOVA INTERNATIONAL 2452 N Harlem Ave, Elmwood Park, IL 60707 Phone: 866-452-9982 - www.paintandplasters.com	Document No.	SS0001ENG	Date of issue:	24.10.2005
	Revision No.	21	Date of revision:	24.01.2019

# LIME-BASED PRODUCTS



Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

## 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

Identification	Environmental limits		
	Calcium dihydroxide CAS: 1305-62-0 EC: 215-137-3	IOELV (8h)	
IOELV (STEL)			4 mg/m <sup>3</sup>

### DNEL (Workers):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Calcium dihydroxide CAS: 1305-62-0 EC: 215-137-3	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Inhalation	Non-applicable	Non-applicable	Non-applicable	Non-applicable

### DNEL (Population):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Calcium dihydroxide CAS: 1305-62-0 EC: 215-137-3	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Inhalation	Non-applicable	4 mg/m <sup>3</sup>	Non-applicable	1 mg/m <sup>3</sup>

### PNEC:

Identification					
Calcium dihydroxide CAS: 1305-62-0 EC: 215-137-3	STP	3 mg/L	Fresh water		0,49 mg/L
	Soil	1080 mg/kg	Marine water		0,32 mg/L
	Intermittent	0,49 mg/L	Sediment (Fresh water)		Non-applicable
	Oral	Non-applicable	Sediment (Marine water)		Non-applicable

## 8.2 Exposure controls:

### A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of

The information contained in this document, not being able to take into account the specific circumstances of each application, are purely indicative.

4 of

11

ATOVA INTERNATIONAL 2452 N Harlem Ave, Elmwood Park, IL 60707 Phone: 866-452-9982 - www.paintandplasters.com	Document No.	SS0001ENG	Date of issue:	24.10.2005
	Revision No.	21	Date of revision:	24.01.2019

# LIME-BASED PRODUCTS



protection...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

## B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	CEN Standard
 <p>Mandatory respiratory tract protection</p>	Filter mask for gases and vapours		EN 405:2001+A1:2009	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

## C.- Specific hands protection.

Pictogram	PPE	Labelling	CEN Standard	CEN Standard
 <p>Mandatory hand protection</p>	Protective gloves against minor risks			Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420 and EN 374.

The information contained in this document, not being able to take into account the specific circumstances of each application, are purely indicative.

5 of

11

ATOVA INTERNATIONAL 2452 N Harlem Ave, Elmwood Park, IL 60707 Phone: 866-452-9982 - www.paintandplasters.com	Document No.	SS0001ENG	Date of issue:	24.10.2005
	Revision No.	21	Date of revision:	24.01.2019

# LIME-BASED PRODUCTS



"As the product is a mixture of several substances, the resistance of the glove material cannot be predicted in advance with total reliability and has therefore to be checked prior to the application"

## D.- Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	CEN Standard
 Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

## E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	CEN Standard
	Work clothing			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2001, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345 y EN 13832-1

## F.- Additional emergency measures

Emergency measures	Regulations	Emergency measures	Regulations
 Emergency shower	ANSI Z358-1 ISO 3864-1:2002	 Eyewash stations	DIN 12 899 ISO 3864-1:2002

## Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance:	thick paste or thick liquid for Rialto lime paint
Odour:	weak characteristic Odour
threshold:	not determined
pH:	12,5 ± 0,2
Melting point/freezing point:	0 °C
Initial boiling point and boiling range:	>100 °C
Flashpoint:	non-flammable (water-based)
Evaporation rate:	not determined
Flammability (solid, gas):	non-flammable (water-based)
Upper/lower flammability or explosive limits:	none
Vapor pressure:	not determined
Vapor density:	not determined

The information contained in this document, not being able to take into account the specific circumstances of each application, are purely indicative.

6 of

ATOVA INTERNATIONAL 2452 N Harlem Ave, Elmwood Park, IL 60707 Phone: 866-452-9982 - www.paintandplasters.com	Document No.	SS0001ENG	Date of issue:	24.10.2005
	Revision No.	21	Date of revision:	24.01.2019

# LIME-BASED PRODUCTS



Relative density:	Classico $1,56 \pm 0,05$ kg/l a 20 °C Superlucido $1,56 \pm 0,05$ kg/l a 20 °C Duetto $1,63 \pm 0,05$ kg/l a 20 °C Carrara $1,66 \pm 0,05$ kg/l a 20 °C Roma $1,73 \pm 0,05$ kg/l a 20 °C Calcite $1,66 \pm 0,05$ kg/l a 20 °C Vesuvio $1,68 \pm 0,05$ kg/l a 20 °C
Solubility:	dispersible in water
Partition coefficient n-octane/water:	not determined
Self-ignition temperature:	non-flammable (water-based)
Decomposition temperature:	580 °C
Viscosity:	300000 mPas (Brookfield, probe n. 7, 10 rpm, 20 °C)
Explosive properties:	Explosive properties:
none	
Oxidizing properties:	none

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Not applicable

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure: A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

ATOVA INTERNATIONAL 2452 N Harlem Ave, Elmwood Park, IL 60707 Phone: 866-452-9982 - www.paintandplasters.com	Document No.	SS0001ENG	Date of issue:	24.10.2005
	Revision No.	21	Date of revision:	24.01.2019

The information contained in this document, not being able to take into account the specific circumstances of each application, are purely indicative.

# LIME-BASED PRODUCTS



**B- Inhalation (acute effect):**

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.
- C- Contact with the skin and the eyes (acute effect):
- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Produces serious eye damage after contact.

**D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):**

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3. IARC: Non-applicable
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**E- Sensitizing effects:**

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**F- Specific target organ toxicity (STOT) - single exposure:**

Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

**G- Specific target organ toxicity (STOT)-repeated exposure:**

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**H- Aspiration hazard:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information: Non-applicable

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Calcium dihydroxide CAS:1305-62-0 EC: 215-137-3	DL50 oral	7340 mg/kg	Rat
	DL50 dermal	Not applicable	
	CL50 inhalation	Not applicable	

Specific toxicology information on the substances:

ATE mix		Ingredient(s) of unknown toxicity
Oral	>2000 mg/kg (Calculation method)	Not applicable
Dermal	>2000 mg/kg (Calculation method)	Not applicable
Inhalation	>5 mg/L (4 h) (Calculation method)	Not applicable

## 12. ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

ATOVA INTERNATIONAL 2452 N Harlem Ave, Elmwood Park, IL 60707 Phone: 866-452-9982 - www.paintandplasters.com	Document No.	SS0001ENG	Date of issue:	24.10.2005
	Revision No.	21	Date of revision:	24.01.2019

The information contained in this document, not being able to take into account the specific circumstances of each application, are purely indicative.

# LIME-BASED PRODUCTS



Identification	Acute toxicity		Species	Genus
Calcium dihydroxide CAS: 1305-62-0 EC: 215-137-3	CL50	160 mg/L (96 h)	Gambusia affinis	Fish
	EC50	Not applicable		
	EC50	Not applicable		

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects: Not described

## 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP4 Irritant — skin irritation and eye damage, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommend disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014.

## 14. TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID, IMDG, IATA)

## 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1).

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Calcium dihydroxide (Product-type 2, 3)

ATOVA INTERNATIONAL 2452 N Harlem Ave, Elmwood Park, IL 60707 Phone: 866-452-9982 - www.paintandplasters.com	Document No.	SS0001ENG	Date of issue:	24.10.2005
	Revision No.	21	Date of revision:	24.01.2019

The information contained in this document, not being able to take into account the specific circumstances of each application, are purely indicative.

# LIME-BASED PRODUCTS



REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:  
Not applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ...): Not applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## 16. OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation

H318: Causes serious eye damage

H335: May cause respiratory irritation

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Eye Dam. 1: H318 - Causes serious eye damage

Skin Irrit. 2: H315 - Causes skin irritation

STOT SE 3: H335 - May cause respiratory irritation

Classification procedure:

Skin Irrit. 2: Calculation method

Eye Dam. 1: Calculation method

STOT SE 3: Calculation method

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources: <http://echa.europa.eu>

<http://eur-lex.europa.eu>

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

ATOVA INTERNATIONAL 2452 N Harlem Ave, Elmwood Park, IL 60707 Phone: 866-452-9982 - <a href="http://www.paintandplasters.com">www.paintandplasters.com</a>	Document No.	SS0001ENG	Date of issue:	24.10.2005
	Revision No.	21	Date of revision:	24.01.2019

# LIME-BASED PRODUCTS



LD50: Lethal Dose 50  
LC50: Lethal Concentration 50  
EC50: Effective concentration 50  
Log-POW: Octanol-water partition coefficient  
Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

ATOVA INTERNATIONAL 2452 N Harlem Ave, Elmwood Park, IL 60707 Phone: 866-452-9982 - www.paintandplasters.com	Document No.	SS0001ENG	Date of issue:	24.10.2005
	Revision No.	21	Date of revision:	24.01.2019

The information contained in this document, not being able to take into account the specific circumstances of each application, are purely indicative.